

Customer No. 24498
Internal Docket No. SCP061792
Office Action Date: January 21, 2009

RECEIVED
CENTRAL FAX CENTER
APR 24 2009

Listing of the Claims

1. (Currently Amended): Digital-television receiver/decoder device of the type comprising:

- an input interface ~~suitable for~~ receiving digital-television signals originating from a predetermined broadcast network and for delivering a digital stream of television signals;
- a demultiplexer/extractor module ~~suitable for~~ extracting, from the digital stream, digital sequences relating to a chosen television program;
- a decoder module ~~suitable for~~ converting the digital sequences thus extracted into television signals compatible with a visual-display module;
- a module for recording and playing digital sequences of digital-television programs;
- a processing module ~~suitable for~~ receiving, from a ~~predetermined~~ software application received from another medium, initialization and marking information from said other medium, relating at least to the start and to the end of a ~~chosen~~ television program, as well as to the reception/extraction of the digital sequences relating to said television program, and for comparing said initialization and marking information with the television digital stream originating from the demultiplexer/extractor module, said processing module ~~being suitable, moreover,~~ in response to a positive comparison, for causing the recording of the digital sequences relating to said ~~chosen~~ television program as well as the initialization and marking information, in the record/replay module; and
- an execution module ~~suitable,~~ at the request of a user, for launching the playing of the digital sequences relating to said television program thus recorded, in synchronism with the initialization and marking information, wherein said execution module further comprises a supplementary processing module ~~able to run the predetermined for running~~ software application further containing said initialization and marking information, the software application being run in synchronism and in interactive mode with the playing of the digital-television program thus recorded with the aid of said initialization and marking information.

Customer No. 24498
Internal Docket No. SCP061792
Office Action Date: January 21, 2009

2. (Currently Amended): The device as claimed in Claim 1, wherein the supplementary processing module consists of Internet processing means, intended to provide a link according to an Internet protocol IP, ~~suitable for~~ cooperating with memory-storage means ~~able to store an Internet browser serving for Internet browsing, and in that the receiver/decoder device further comprises a communications module able to communicate~~ communicating with a remote server according to the Internet protocol.

3. (Currently Amended): The device as claimed in Claim 2, wherein the communications module ~~is able to download~~ downloads the software application originating from the remote server.

4. (Currently Amended): The device as claimed in Claim 1, ~~wherein it comprises~~ comprising a media player able to read a data medium containing the software application.

5. (Currently Amended): The device as claimed in Claim 1, ~~wherein it comprises~~ comprising means suitable for receiving the software application with the digital-television stream.

6. (Currently Amended): The device as claimed in claim 1, wherein the execution module ~~is suitable for launching~~ launches the playing of the digital sequences relating to the chosen television program and the running of the software application on the same visual-display module.

7. (Currently Amended): The device as claimed in claim 1, ~~wherein it further comprising~~ comprising man/machine interface means, the actuation of which allows the user to interact simultaneously and in synchronism in the playing of the recorded television program and in the running of the predetermined software application.

Customer No. 24498
Internal Docket No. SCP061792
Office Action Date: January 21, 2009

8. (Currently Amended): The device as claimed in claim 2, wherein the Internet processing means ~~are suitable for cooperating~~ cooperates with the visual-display module as well as a man/machine interface means of the receiver/decoder device.

9. (Currently Amended): The device as claimed in Claim 8, wherein the demultiplexer/extractor module ~~is able to extract~~ extracts the initialization and marking information of the television program and ~~to send it~~ sends the information to the Internet processing means ~~so as, at the request of the user,~~ to allow running of the predetermined software application in local mode and/or in cooperation with the remote server, in synchronism with the playing of the recorded television program.

10. (Currently Amended): The device as claimed in Claim 2, wherein the Internet processing means ~~are suitable,~~ in cooperation with the processing means of the receiver/decoder, ~~for driving~~ drives the record/replay module.

11. (Currently Amended): The device as claimed in Claim 10, wherein the Internet processing means ~~are suitable for delivering~~ delivers, to the record/replay module, commands of the stop, pause, pause start, start, slow, fast forward, rewind, jump forward, jump back, type.

12. (Currently Amended): The device as claimed in claim 1, ~~wherein it further comprising~~ comprises an image-composition module suitable for receiving the video images output by the decoder module as well as ~~[[the]]~~ a graphics images output by an Internet processing means, so as to combine them according to a chosen image-composition mode.

13. (Previously presented): The device as claimed in Claim 12, wherein the image-composition mode is of overprint, multi-windowing, text, image-combining type.

14. (Currently Amended): The device as claimed in Claim 12, wherein the image-composition module comprises:

Customer No. 24498
Internal Docket No. SCP061792
Office Action Date: January 21, 2009

- a first memory ~~suitable for~~ containing the video images output by the decoder module;
- a second memory ~~suitable for~~ containing the graphics information output by the Internet processing means;
- a third memory ~~suitable for~~ containing an image-composition program;
- image-processing means ~~suitable for~~ extracting the chosen information from the first and second memories depending on the composition program, ~~so as to~~ produce the composite images; and
- a module for synchronization of the visual-display module, ~~so as to~~ synchronize the composition of images output by the two memories.

15. (Previously presented): The device as claimed in claim 1, further comprising:
an interface of serial type and/or an interface of high-throughput link type so as to connect peripheral equipment of the printer, video/camera system, audio suite or video peripheral type.

16. (Previously presented): A method of processing digital-television signals of the type comprising the following stages:

- a) receiving digital-television signals originating from a predetermined broadcast network and delivering a digital stream of television signals;
- b) extracting, from the digital stream, digital sequences relating to a chosen television program;
- c) converting the digital sequences thus extracted into television signals compatible with a visual-display module;
- d) receiving, from a predetermined software application received from another medium, initialization and marking information from said other medium, relating at least to the start and to the end of a chosen television program, as well as to the reception/extraction of the digital sequences relating to said chosen television program, and comparing said initialization and marking information with the television digital stream originating from the demultiplexer/extractor module;

Customer No. 24498
Internal Docket No. SCP061792
Office Action Date: January 21, 2009

e) in response to a positive comparison, causing the recording of the digital sequences relating to said chosen television program as well as the initialization and marking information, in the record/replay module; and

f) at the request of a user, launching the playing of the digital sequences relating to said television program thus recorded,

wherein the method further comprising implementing the software application able to contain, in addition, said initialization and marking information, and in that the playing step f is run in synchronism and in interactive mode with the running of the software application with the aid of the initialization and marking information.

17. (Previously presented): A software product embodied in a computer readable medium for a digital-television receiver/decoder device, of the type comprising initialization and marking information relating at least to the start and to the end of a chosen digital-television program, as well as to the reception/extraction of the digital sequences relating to said chosen television program, said initialization and marking information being intended to be compared with a television digital stream, and, in the event of a positive comparison, said software product being able to cause the recording of the digital sequences relating to said chosen television program as well as the initialization and marking information, wherein said initialization and marking information is contained in a software application capable of being run in synchronism and in interactive mode with the playing of the digital-television program thus recorded with the aid of the initialization and marking information.

18. (Previously presented): The software product as claimed in Claim 17, wherein the software application is capable of being run on-line with a remote server.

19. (Previously presented): The software product as claimed in Claim 17, wherein the computer readable medium is at least one of: a data medium, program memory, and distributed by downloading.